



ZZ9709

*2 - 3 - 0 B

(For Internal Use Only)

MATERIAL SAFETY DATA SHEET

SECTION 1 - PRODUCT IDENTIFICATION

Product:	<i>Belt Gloss White Aerosol Paint</i>	Code No.:	NA
Manufacturer:	<i>Valspar Corporation</i>	Telephone:	<i>(231)924-3950</i>
Address:	<i>411 North Darling, Fremont MI 49412</i>	RM Code:	ZZ9709

SECTION 2 - PRODUCT COMPONENTS

	<u>Component Name</u>	<u>OSHA PEL</u>	<u>ACGIH TLV</u>	<u>Wt. %</u>	<u>CAS Number</u>
1)	Acetone	1000 ppm	500 ppm	25-30	67-64-1
2)	Methyl Ethyl Ketone	200 ppm	200 ppm	10-15	78-93-3
3)	*Xylene	100 ppm	100 ppm	10-15	1330-20-7
4)	Ethyl-3-Ethoxypropionat	50 ppm	50 ppm	1-5	763-69-9
5)	*Ethylbenzene	100 ppm	100 ppm	1-5	100-41-4
6)	Other Non Hazardous Material	---	---	Balance	---
7)	Petroleum Propellant	600 ppm	600 ppm	15-20	68476-86-8

* Designates a SARA 313 Material

SECTION 3 - PHYSICAL AND CHEMICAL CHARACTERISTICS

Boiling Point:	<i>ND</i>	Specific Gravity:	<i>.938</i>
Vapor Pressure:	<i>ND</i>	Water Soluble:	<i>No</i>
Vapor Density (Air = 1):	<i>ND</i>	Water Reactive:	<i>No</i>
Volume % Volatile:	<i>ND</i>	pH:	<i>ND</i>
Appearance and Odor:	<i>ND</i>		

SECTION 4 - FIRE AND EXPLOSION INFORMATION

Flash Point (Method):	<i>2° F</i>	Auto-ignition Temp.:	<i>ND</i>
Flammable Limits, LEL:	<i>ND</i>	UEL:	<i>ND</i>
Flame Extension:	<i>ND</i>	Flashback:	<i>ND</i>
Extinguishing Media:	<i>Foam, dry chemical, carbon dioxide.</i>		
Special Firefighting Procedures:	<i>Use SCBA. Water is not suitable as an extinguishing media, but may be useful for cooling nearby containers.</i>		
Unusual Fire and Explosion Hazards:	<i>Aerosol containers may burst when exposed to temperatures in excess of 120° F.</i>		

SECTION 5 - REACTIVITY DATA

Stable:	<i>Yes</i>	Conditions to Avoid:	<i>Heat, sparks, open flame.</i>
Incompatibility:	<i>Strong oxidizers like chlorine or concentrated oxygen.</i>		
Hazardous Decomposition Products:	<i>Combustion may produce carbon monoxide, other undetermined oxides, smoke and fumes.</i>		
Polymerization:	<i>No</i>	Conditions to Avoid:	<i>None known</i>

SECTION 6 - HEALTH HAZARDS

Primary Routes of Entry:	Oral:	<i>No</i>	Carcinogenic Listing:	NTP:	<i>Yes</i>
---------------------------------	--------------	-----------	------------------------------	-------------	------------

BELT GLOSS WHITE AEROSOL PAINT MATERIAL SAFETY DATA SHEET, CONTINUED

Inhalation: Yes
Skin Absorb.: Yes
IARC: No
ACGIH: No
HMIS Rating: Health: 2 Flammability: 3 Reactivity: 0

Signs/Symptoms of Exposure:

Emergency First Aid Procedures

Eye Contact: Flush with running water for 15 minutes, holding lid open to expose eye surface. Contact physician.
Skin Contact: Remove contaminated clothing and shoes. Wash with mild soap and water, apply skin cream for irritation. Contact physician if irritation persists.
Inhalation: Remove to fresh air at once. Apply artificial respiration if necessary. Contact physician immediately.
Ingestion: Do not induce vomiting. Contact physician immediately.
Chronic Hazards: Health studies have shown that many petroleum hydrocarbons pose human health risks that may vary from person to person. Prolonged or repeated occupational overexposure to solvents has been linked to permanent brain and nervous system damage. Intentional misuse by deliberate concentration and inhalation may be harmful or fatal. As a precaution, exposure to liquids or vapors should be minimized.

SECTION 7 - SPECIAL PRECAUTIONS/SPILL & LEAK PROCEDURES

Precautions for Storage and Handling: Keep containers closed when not in use. Do not use or store near open flame or strong oxidizers.
Other Precautions: Avoid breathing vapors or mists; prolonged or repeated skin contact.
Spill or Leak Precautions: **** DANGER! LEAKING AEROSOLS CAN BE AN EXTREME FIRE AND EXPLOSION HAZARD!** Remove ignition sources. Move leaking cans outdoors and empty into suitable container by depressing valve button. Small liquid spills may be taken up with absorbent material.
Waste Disposal Method: Comply with all applicable regulations.

SECTION 8 - SPECIAL PROTECTION & PRECAUTIONS

Respiratory Protection: None required in normal use but an effective NIOSH/MSHA approved respirator should be used at any time when vapor concentrations exceed established standards.
Ventilation Type Required: Adequate to maintain level below established standards.
Local Exhaust: Yes **Rate:** >60 fpm **Mech. (General)** No
Gloves: Chemical resistant
Eye Protection: Face shield or safety glasses recommended.
Other Clothing/Equipment: None required in normal use.
Work/Hygienic Practices: Basic good housekeeping. Wash hands before eating or smoking. Smoke only in designated areas.

SECTION 9 - SHIPPING/LABELING INFORMATION

DOT ID Number: None
DOT Hazard Class: ORM-D
DOT Shipping Name: Consumer commodity

BELT GLOSS WHITE AEROSOL PAINT MATERIAL SAFETY DATA SHEET, CONTINUED

DOT Precautionary Label: *Cartons must bear ORM-D marking and orientation arrows*
Packing Group: *None assigned*
IMO/IATA ID Number: *UN1950 / UN1950*
IMO/IATA Hazard Class: *2.1 / 2.1*
IMO Shipping Name: *AEROSOLS*
IATA Shipping Name: *Aerosols*
IMO/IATA Precautionary Label: *AEROSOLS statement / Flammable Gas diamond*
IMO/IATA Packing Group: *II / None assigned*
Marine Pollutant: *No*

In Case of Transportation Emergency, Call Chemtrec 1-800-424-9300

Abbreviations

NA	<i>Not Applicable</i>	mppcf	<i>Million Parts per Cubic Foot</i>
NAV	<i>Not Available</i>	ppm	<i>Parts per Million</i>
ND	<i>Not Determined</i>	mg/m³	<i>Milligrams per Cubic Meter</i>
NE	<i>None Established</i>	CAS	<i>Chemical Abstract Service</i>
NTP	<i>National Toxicology Program</i>	SCBA	<i>Self Contained Breathing Apparatus</i>
IBP	<i>Initial Boiling Point</i>	fpm	<i>Feet per Minute, Face Velocity</i>
TCC	<i>Tagliabue Closed Cup</i>		
COC	<i>Cleveland Open Cup</i>		
IARC	<i>International Agency for Research on Cancer</i>		
OSHA	<i>Occupational Safety and Health Administration</i>		
ACGIH	<i>American Conference of Governmental Hygienists</i>		

The data on this sheet represent typical values. Since application variables are a major factor in product performance, this information should serve only as a general guide. Valspar assumes no obligation or liability for use of this information. UNLESS VALSPAR AGREES OTHERWISE IN WRITING, VALSPAR MAKES NO WARRANTIES, EXPRESS OR IMPLIED, AND DISCLAIMS ALL IMPLIED WARRANTIES INCLUDING WARRANTIES OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR USE OR FREEDOM FROM PATENT INFRINGEMENT. VALSPAR WILL NOT BE LIABLE FOR ANY SPECIAL, INCIDENTAL OR CONSEQUENTIAL DAMAGES. Your only remedy for any defect in this product is the replacement of the defective product, or a refund of its purchase price, at our option.

Valspar Corporation
 Fremont, MI USA

Prepared by: Steve Eckert
 Date: 3-15-05
 Revision: C-1